



EN ISO 20345:2011



POLAR CERVINO OUTDRY

88030-02L

**SB E P WRU HRO HI WR CI
SRC**
Size: 38-48
Weight: 850 gr.

Fit: 11

Working Environment:
 Farming and Gardening,
 Mountains, Cold places, Special


FEATURES

UPPER

 Full Grain leather Hydro 1,8-2,0 mm
 Nubuk Leather Hydro
 Reflex insert

LINING

PrimaLoft® insulation for footwear, made with up to 100% post-consumer recycled content, is specifically designed for the rigors of repeated wear and extreme conditions, providing protection from cold and wet weather under compression

ANTISLIP LINING DUALMICRO

INSOLE

Dual insulation

TOE CAP

Fiber cap SXT

RESISTANCE TO PERFORATION

KX Antiperforation PS

TYPE

Half-knee Boot

SOLE

PU-RUBBER VIBRAM-ICETREK-SRC

New ICETREK compound designed with VIBRAM for stability and grip performance on icy ground. Resistant to 300°C by contact. Self-cleaning outsole, designed to challenge all types of ground better. With anti-wear scaff cap.

TECHNOLOGIES

Removable Insole



Insole perfect for winter use and for footwear with protection against cold "CI". It consists of a highly resistant and absorbing felt piece that keeps the foot dry and warm and of an aluminised film to isolate the foot from the ground.



Protection elements



Composite toecap with fiberglass. Resistant to over 200J. Non metal perforation resistant insert to over 1100 N with a 3.0 mm truncated cone nail. Protection over the entire sole of the foot. Flexible and comfortable



Lateral stability

 dynamic **HC** control
 technology

Ergonomic rigid internal structure. It houses the heel into the right seat, adjusting the foot support and control of the ankle sideways movements. It keeps the foot tight to the shoe, allowing the perfect fit.



Torsional stability

FULL STABILITY CONTACT

Support made of rigid plastic material. It supports the whole foot, including tarsal joints, without altering energy absorption. A significative support for greater stability on bumpy surfaces.





Electrical features

NOT ANTI-STATIC Not anti-static shoe

Other



PrimaLoft® insulation for footwear, made with up to 100% post-consumer recycled content, is specifically designed for the rigors of repeated wear and extreme conditions, providing protection from cold and wet weather under compression



SRC (SRA+SRB)


 SOLE 88
 PU - RUBBER
 ICE TREK

SRA CERAMIC + DETERGENT SOLUTION	FLAT ≥0.32	0.50
	HEEL (CONTACT ANGLE °°) ≥0.28	0.32
SRB STEEL + GLYCEROL	FLAT ≥0.18	0.22
	HEEL (CONTACT ANGLE °°) ≥0.13	0.14

EN ISO 20344:2011