



EN ISO 20345:2011



POLAR

TERRANOVA ARCTIC GRIP®

89128-23L

S3 HRO HI WR CI SRC

Size: 38-48

Weight: 900 gr.

Fit: 11

Working Environment:

 Cold places, Farming and
Gardening, Mountains, Building


FEATURES

UPPER

Full Grain-Anilina Leather-Hydro
1,8-2,0 mm
Pu Hydro Coated Leather 1,8-2,0
mm
Full Grain leather Hydro
Reflex insert

LINING

PrimaLoft® insulation for
footwear, made with up to 100%
post-consumer recycled content,
is specifically designed for the
rigors of repeated wear and
extreme conditions, providing
protection from cold and wet
weather under compression

INSOLE

Dual insulation

TOE CAP

Fiber cap SXT

RESISTANCE TO PERFORATION

KX Antiperforation PS

TYPE

Half-knee Boot

SOLE

PU-RUBBER VIBRAM- ARCTIC GRIP

New polymer blend with an
advanced filler system. Engineered
for low temperature use. Improved
grip on ice or snow. VIBRAM
performance, quality and
durability. Self-cleaning outsole,
designed to all types of ground
better. With scaff cap.

TECHNOLOGIES

Removable Insole



Insole perfect for winter use and for
footwear with protection against cold
"CI". It consists of a highly resistant
and absorbing felt piece that keeps
the foot dry and warm and of an
aluminised film to isolate the foot
from the ground.



Protection elements



Composite toecap with fiberglass.
Resistant to over 200J. Non metal
perforation resistant insert to over
1100 N with a 3.0 mm truncated cone
nail. Protection over the entire sole of
the foot. Flexible and comfortable



Lateral stability



Ergonomic rigid internal structure. It
houses the heel into the right seat,
adjusting the foot support and control
of the ankle sideways movements. It
keeps the foot tight to the shoe,
allowing the perfect fit.



Torsional stability



Support made of rigid plastic
material. It stabilizes the heel bone,
the instep and tarsal joints, without
altering energy absorption. A support
for the natural movement of the foot;
it provides comfort and greater
stability.




Electrical features



Wire Electricity Discharge


Strip with 4 filaments of carbon fiber,
ensuring proven anti-static properties
of the footwear over time.



Other



PrimaLoft® insulation for footwear,
made with up to 100% post-consumer
recycled content, is specifically
designed for the rigors of repeated
wear and extreme conditions,
providing protection from cold and
wet weather under compression



SRC (SRA+SRB)



SOLE 89 PU - RUBBER ARCTIC GRIP		
SRA CERAMIC + DIETERYGENT SOLUTION	FLAT ≥0.32 HEEL (CONTACT ANGLE °) ≥0.28	0.62 0.59
SRB STEEL + GLYCEROL	FLAT ≥0.18 HEEL (CONTACT ANGLE °) ≥0.13	0.22 0.20

EN ISO 20344:2011