



EN ISO 20345:2011



POLAR

TERRANOVA
88128-13L
SB E P WRU HRO HI WR CI SRC
Size: 38-48
Weight: 890 gr.

Fit: 11

Working Environment:
 Building, Farming and Gardening,
 Mountains, Cold places


FEATURES

UPPER

 Full Grain-Anilina Leather-Hydro
 1,8-2,0 mm
 Full Grain leather Hydro

LINING

 PrimaLoft® insulation for
 footwear, made with up to 100%
 post-consumer recycled content,
 is specifically designed for the
 rigors of repeated wear and
 extreme conditions, providing
 protection from cold and wet
 weather under compression

INSOLE

Dual insulation

TOE CAP

Fiber cap SXT

RESISTANCE TO PERFORATION

KX Antiperforation PS

SOLE

PU-RUBBER VIBRAM-ICETREK-SRC

 New ICETREK compound designed
 with VIBRAM for stability and grip
 performance on icy ground.
 Resistant to 300°C by contact. Self-
 cleaning outsole, designed to
 challenge all types of ground
 better. With anti-wear scaff cap.

TECHNOLOGIES

Removable Insole


 Insole perfect for winter use and for
 footwear with protection against cold
 "CI". It consists of a highly resistant
 and absorbing felt piece that keeps
 the foot dry and warm and of an
 aluminised film to isolate the foot
 from the ground.


Protection elements


 RESISTANT
 TO 3.0 mm.
 NAILS

fibercap sxt

 Composite toecap with fiberglass.
 Resistant to over 200J. Non metal
 perforation resistant insert to over
 1100 N with a 3.0 mm truncated cone
 nail. Protection over the entire sole of
 the foot. Flexible and comfortable


Lateral stability

dynamic HC control
technology

 Ergonomic rigid internal structure. It
 houses the heel into the right seat,
 adjusting the foot support and control
 of the ankle sideways movements. It
 keeps the foot tight to the shoe,
 allowing the perfect fit.


Torsional stability


STABIL•ACTIVE


 Support made of rigid plastic
 material. It stabilizes the heel bone,
 the instep and tarsal joints, without
 altering energy absorption. A support
 for the natural movement of the foot;
 it provides comfort and greater
 stability.


Electrical features

 NOT ANTI-STATIC Not anti-static
 shoe

Other

DUAL MICRO
DNV WICBO

 Double non-slip layer of microfibre,
 resistant up to 200,000 cycles. Makes
 the footwear more comfortable,
 blocking the foot during use.


SRC (SRA+SRB)


 SOLE 88
PU - RUBBER
 ICE TREK

SRA CERAMIC + DETERGENT SOLUTION	FLAT ≥0.32 HEEL (CONTACT ANGLE °°) ≥0.28	0.50 0.32
SRB STEEL + GLYCEROL	FLAT ≥0.18 HEEL (CONTACT ANGLE °°) ≥0.13	0.22 0.14

EN ISO 20344:2011